

Closing plugs

2

908

Closing plugs with hexagonal sockets and cylindrical threads

up to 40 bar

Type 16 bar brass nickel-pl.	Type 16 bar brass	Type 40 bar V4A (SS)	Thread
VS 50 MSV*	---	---	M5
VS 70 MSV*	---	---	M7
VS 18 MSV*	VS 18 MS	VS 18 ES	G 1/8"
VS 14 MSV*	VS 14 MS	VS 14 ES	G 1/4"
VS 38 MSV*	VS 38 MS	VS 38 ES	G 3/8"
VS 12 MSV*	VS 12 MS	VS 12 ES	G 1/2"
VS 34 MSV	VS 34 MS	VS 34 ES	G 3/4"
VS 10 MSV	VS 10 MS	VS 10 ES	G 1"
---	VS 114 MS	VS 114 ES	G 1 1/4"
---	VS 112 MS	VS 112 ES	G 1 1/2"
---	VS 20 MS	VS 20 ES	G 2"

* with O-ring seal

906

Closing plugs with hexagonal sockets without collars

up to 40 bar

Type 16 bar brass nickel-pl.	Type 16 bar brass	Type 40 bar V4A (SS)	Thread	Type 16 bar brass	Type 40 bar AISI 316Ti	Thread
Imperial						
VS 18 K MSV	VS 18 K MS	VS 18 K ES	R 1/8"	VS 18 MS OB	VS 18 ES OB	G 1/8"
VS 14 K MSV	VS 14 K MS	VS 14 K ES	R 1/4"	VS 14 MS OB	VS 14 ES OB	G 1/4"
VS 38 K MSV	VS 38 K MS	VS 38 K ES	R 3/8"	VS 38 MS OB	VS 38 ES OB	G 3/8"
VS 12 K MSV	VS 12 K MS	VS 12 K ES	R 1/2"	VS 12 MS OB	VS 12 ES OB	G 1/2"
---	VS 34 K MS	VS 34 K ES	R 3/4"	---	---	---
---	VS 10 K MS	VS 10 K ES	R 1"	---	---	---
---	---	VS 114 K ES	R 1 1/4"	---	---	---
---	---	VS 112 K ES	R 1 1/2"	---	---	---
Metric						
---	VS M8 K MS	VS M8 K ES	M8 x 0.75 (con.)	VS M8 MS OB	---	M 8 x 0.75
---	VS M8 x 1 K MS	---	M8 x 1 (con.)	---	---	---
---	VS M10 K MS	VS M10 K ES	M10 x 1 (con.)	VS M10 MS OB	---	M 10 x 1
---	VS M12 K MS	VS M12 K ES	M12 x 1.5 (con.)	VS M12 MS OB	---	M 12 x 1.5
---	VS M14 K MS	VS M14 K ES	M14 x 1.5 (con.)	VS M14 MS OB	---	M 14 x 1.5

* must be sealed with sealant!

Closing plugs with exterior hexagons and cylindrical threads

up to 40 bar

Type 16 bar brass nickel-pl.	Type 16 bar brass	Type 40 bar AISI 316Ti	Thread	SW ¹⁾
VS 50 A MSV	VS 50 A MS	---	M5	8
VS 18 A MSV	VS 18 A MS	VS 18 A ES	G 1/8"	14
VS 14 A MSV	VS 14 A MS	VS 14 A ES	G 1/4"	17
VS 38 A MSV	VS 38 A MS	VS 38 A ES	G 3/8"	19
VS 12 A MSV	VS 12 A MS	VS 12 A ES	G 1/2"	24
VS 34 A MSV	---	VS 34 A ES	G 3/4"	---
VS 10 A MSV	---	VS 10 A ES	G 1"	---

¹⁾ applies to type brass. For all other types, please ask.

Closing plugs with exterior hexagons and conical threads

up to 16 bar

Type 16 bar AISI 316	Type 8 bar PA 6	Thread	Type 16 bar AISI 316	Type 8 bar PA 6	Thread
VS 18 AK ES	VS 18 K	R 1/8"	VS 114 AK ES*	---	R 1 1/4"
VS 14 AK ES	VS 14 K	R 1/4"	VS 112 AK ES*	---	R 1 1/2"
VS 38 AK ES	VS 38 K	R 3/8"	VS 20 AK ES*	---	R 2"
VS 12 AK ES*	VS 12 K	R 1/2"	VS 212 AK ES	---	R 2 1/2"
VS 34 AK ES*	---	R 3/4"	VS 30 AK ES	---	R 3"
VS 10 AK ES*	---	R 1"	---	---	---

* optional: NPT thread -NPT

Order example: VS 12 AK ES **

Standard type

Designation for the options:
NPT thread-NPT

910

Closing plugs with exterior hexagons and collar, with cyl. threads

up to 40 bar

Type 16 bar brass	Type 40 bar V4A (SS)	Thread	SW ¹⁾
VS 18 AB MS	VS 18 AB ES	G 1/8"	10
VS 14 AB MS	VS 14 AB ES	G 1/4"	13
VS 38 AB MS	VS 38 AB ES	G 3/8"	17
VS 12 AB MS	VS 12 AB ES	G 1/2"	19
VS 34 AB MS	VS 34 AB ES	G 3/4"	24
VS 10 AB MS	VS 10 AB ES	G 1"	27
VS 114 AB MS	VS 114 AB ES	G 1 1/4"	30
VS 112 AB MS	VS 112 AB ES	G 1 1/2"	30
VS 20 AB MS	VS 20 AB ES	G 2"	36

¹⁾ Details apply for the brass type. For all other types, please ask.

All data are considered to be unbinding reference values. We accept no liability for data selection that is not confirmed in writing. Pressure data refer, if not otherwise indicated, to liquids of Group II at +20°C.