

IQS push in connections - **ES**

G G 1/4"

G 1/4"

G 3/8"

G 3/8" G 1/2" G 1/2" **ES**


8

10

10

12 10 12







T push in fitting	gs, cylindrical thread (p	ositi	ionable)
Type	G	D	Type
IQST M54 ES	M 5	4	IQST 148 G ES
IQST 184 G ES	G 1/8"	4	IQST 1410 G ES
IQST 186 G ES	G 1/8"	6	IQST 3810 G ES
IQST 188 G ES	G 1/8"	8	IQST 3812 G ES
IQST 144 G ES	G 1/4"	4	IQST 1210 G ES
IQST 146 G ES	G 1/4"	6	IQST 1212 G ES



T push in fittings	s with NPT thread (positio	nable)		ES
Type	R D	Type	R	D
IQST 184 ES NPT	NPT 1/8" 4	IQST 148 ES NPT	NPT 1/4"	8
IQST 186 ES NPT	NPT 1/8" 6	IQST 1410 ES NPT	NPT 1/4"	10
IQST 188 ES NPT	NPT 1/8" 8	IQST 3810 ES NPT	NPT 3/8"	10
IQST 146 ES NPT	NPT 1/4" 6			



Push in connectors					ES
Type //vox	D	D ₁	Type (Nox)	D	D ₁
IQSG 40 ES	4	4	IQSG 80 ES	8	8
IQSG 6040 ES	6 reduced	4	IQSG 100 ES	10	10
IQSG 60 ES	6	6	IQSG 120 ES	12	12
IQSG 8060 ES	8 reduced	6	IQSG 160 ES	16	16



Bulkhead pu	sh in conne	ctors					ES
Type	D	Α	Emax	Type	D	А	Emax
IQSS 40 ES	4	M 12 x 1	11	IQSS 100 ES	10	M 18 x 1	19
IQSS 60 ES	6	M 14 x 1	16	IQSS 120 ES	12	M 20 x 1	20
IQSS 80 ES	8	M 16 x 1	17	IQSS 160 ES	16	M 27 x 1.	5 5



Elbow push in fittings		ES
Type	D Type	D
IQSL 40 ES	4 IQSL 100 ES	10
IQSL 60 ES	6 IQSL 120 ES	12
IQSL 80 ES	8 IQSL 160 ES	16



T push in conn	nectors		ES
Type	D	Type	D
IQST 40 ES	4	IQST 100 ES	10
IQST 60 ES	6	IQST 120 ES	12
IQST 80 ES	8	IQST 160 ES	16



PUSN	in connect	rors, reaucing	, WIT	n pusn in
Туре	INOX		D	D ₁
TQSG 6	0H40 ES		6	4
IQSG 8	0H60 ES		8	6





IQSG 100H80 ES





Stainless steel ball valves from page 284

8



Strainers made of stainless steel on page 359

ES



Pressure regulators made of stainless steel & brass from page 355

All data are considered to be unbinding reference values. We accept no liability for data selection that is not confirmed in writing. Pressure data refer, if not otherwise indicated, to liquids of Group II at +20°C.