




Particle board countersunk screws with TORX drives




Type zinc-pl. steel yellow chromated	Type stainless steel A2	d	l
d=3; TORX size=T 10(ISZ 10)			
SPAN 3x12 TX*	SPAN 3x12 TX ES*	3	12
SPAN 3x16 TX*	SPAN 3x16 TX ES*	3	16
SPAN 3x20 TX*	SPAN 3x20 TX ES*	3	20
SPAN 3x25 TX*	SPAN 3x25 TX ES*	3	25
SPAN 3x30 TX*	SPAN 3x30 TX ES*	3	30
SPAN 3x35 TX	SPAN 3x35 TX ES*	3	35
SPAN 3x40 TX	---	3	40
d=3.5; TORX size=T 15(ISZ 15)			
SPAN 3.5x16 TX*	SPAN 3.5x16 TX ES*	3.5	16
SPAN 3.5x20 TX*	SPAN 3.5x20 TX ES*	3.5	20
SPAN 3.5x25 TX*	SPAN 3.5x25 TX ES*	3.5	25
SPAN 3.5x30 TX	SPAN 3.5x30 TX ES*	3.5	30
SPAN 3.5x35 TX	SPAN 3.5x35 TX ES	3.5	35
SPAN 3.5x40 TX	SPAN 3.5x40 TX ES	3.5	40
SPAN 3.5x45 TX	---	3.5	45
SPAN 3.5x50 TX	---	3.5	50
d=4; TORX size=T 20(ISZ 20)			
SPAN 4x16 TX*	---	4	16
SPAN 4x20 TX*	SPAN 4x20 TX ES*	4	20
SPAN 4x25 TX*	SPAN 4x25 TX ES*	4	25
SPAN 4x30 TX	SPAN 4x30 TX ES*	4	30
SPAN 4x35 TX	SPAN 4x35 TX ES*	4	35
SPAN 4x40 TX	SPAN 4x40 TX ES	4	40
SPAN 4x45 TX	SPAN 4x45 TX ES	4	45
SPAN 4x50 TX	---	4	50
SPAN 4x60 TX	---	4	60
SPAN 4x70 TX	---	4	70

* supplied with full thread, all others are supplied with part thread

Type zinc-pl. steel yellow chromated	Type stainless steel A2	d	l
d=4.5; TORX size=T 20(ISZ 20)			
SPAN 4.5x30 TX*	SPAN 4.5x30 TX ES*	4.5	30
SPAN 4.5x35 TX	SPAN 4.5x35 TX ES*	4.5	35
SPAN 4.5x40 TX	SPAN 4.5x40 TX ES	4.5	40
SPAN 4.5x45 TX	SPAN 4.5x45 TX ES	4.5	45
SPAN 4.5x50 TX	SPAN 4.5x50 TX ES	4.5	50
SPAN 4.5x60 TX	SPAN 4.5x60 TX ES	4.5	60
SPAN 4.5x70 TX	SPAN 4.5x70 TX ES	4.5	70
SPAN 4.5x80 TX	---	4.5	80
d=5; TORX size=T 20(ISZ 20)			
SPAN 5x30 TX*	SPAN 5x30 TX ES*	5	30
SPAN 5x35 TX*	SPAN 5x35 TX ES*	5	35
SPAN 5x40 TX	SPAN 5x40 TX ES	5	40
SPAN 5x45 TX	SPAN 5x45 TX ES	5	45
SPAN 5x50 TX	SPAN 5x50 TX ES	5	50
SPAN 5x60 TX	SPAN 5x60 TX ES	5	60
SPAN 5x70 TX	SPAN 5x70 TX ES	5	70
SPAN 5x80 TX	SPAN 5x80 TX ES	5	80
SPAN 5x90 TX	---	5	90
SPAN 5x100 TX	SPAN 5x100 TX ES	5	100
SPAN 5x120 TX	SPAN 5x120 TX ES	5	120
d=6; TORX size=T 30(ISZ 30)			
SPAN 6x50 TX	SPAN 6x50 TX ES	6	50
SPAN 6x60 TX	SPAN 6x60 TX ES	6	60
SPAN 6x70 TX	SPAN 6x70 TX ES	6	70
SPAN 6x80 TX	SPAN 6x80 TX ES	6	80
SPAN 6x90 TX	SPAN 6x90 TX ES	6	90
SPAN 6x100 TX	SPAN 6x100 TX ES	6	100
SPAN 6x120 TX	SPAN 6x120 TX ES	6	120
SPAN 6x140 TX	SPAN 6x140 TX ES	6	140
SPAN 6x160 TX	SPAN 6x160 TX ES	6	160
SPAN 6x180 TX	---	6	180
SPAN 6x200 TX	---	6	200



Particle board countersunk screws with pozidriv cross recess drives



Type zinc-pl. steel yellow chromated	d	l
d=3; cross recess=1 (PZ 1)		
SPAN 3x12 KS*	3	12
SPAN 3x16 KS*	3	16
SPAN 3x20 KS*	3	20
SPAN 3x25 KS*	3	25
SPAN 3x30 KS*	3	30
SPAN 3x35 KS	3	35
SPAN 3x40 KS	3	40
d=3.5; cross recess=2 (PZ 2)		
SPAN 3.5x16 KS*	3.5	16
SPAN 3.5x20 KS*	3.5	20
SPAN 3.5x25 KS*	3.5	25
SPAN 3.5x30 KS*	3.5	30
SPAN 3.5x35 KS*	3.5	35
SPAN 3.5x40 KS	3.5	40
SPAN 3.5x45 KS	3.5	45
SPAN 3.5x50 KS	3.5	50
d=4; cross recess=2 (PZ 2)		
SPAN 4x12 KS*	4	12
SPAN 4x16 KS*	4	16
SPAN 4x20 KS*	4	20
SPAN 4x25 KS*	4	25
SPAN 4x30 KS*	4	30
SPAN 4x35 KS*	4	35
SPAN 4x40 KS	4	40
SPAN 4x45 KS	4	45
SPAN 4x50 KS	4	50
SPAN 4x60 KS	4	60
SPAN 4x70 KS	4	70
d=4.5; cross recess=2 (PZ 2)		
SPAN 4.5x16 KS*	4.5	16
SPAN 4.5x20 KS*	4.5	20
SPAN 4.5x25 KS*	4.5	25
SPAN 4.5x30 KS*	4.5	30

* supplied with full thread, all others are supplied with part thread

Type zinc-pl. steel yellow chromated	d	l
SPAN 4.5x35 KS	4.5	35
SPAN 4.5x40 KS	4.5	40
SPAN 4.5x45 KS	4.5	45
SPAN 4.5x50 KS	4.5	50
SPAN 4.5x60 KS	4.5	60
SPAN 4.5x70 KS	4.5	70
SPAN 4.5x80 KS	4.5	80
d=5; cross recess=2 (PZ 2)		
SPAN 5x20 KS*	5	20
SPAN 5x25 KS*	5	25
SPAN 5x30 KS*	5	30
SPAN 5x35 KS*	5	35
SPAN 5x40 KS	5	40
SPAN 5x45 KS	5	45
SPAN 5x50 KS	5	50
SPAN 5x60 KS	5	60
SPAN 5x70 KS	5	70
SPAN 5x80 KS	5	80
SPAN 5x90 KS	5	90
SPAN 5x100 KS	5	100
SPAN 5x120 KS	5	120
d=6; cross recess=3 (PZ 3)		
SPAN 6x40 KS	6	40
SPAN 6x45 KS	6	45
SPAN 6x50 KS	6	50
SPAN 6x60 KS	6	60
SPAN 6x70 KS	6	70
SPAN 6x80 KS	6	80
SPAN 6x100 KS	6	100
SPAN 6x120 KS	6	120
SPAN 6x140 KS	6	140
SPAN 6x160 KS	6	160
SPAN 6x180 KS	6	180
SPAN 6x200 KS	6	200

All data are considered to be unbinding reference values. We accept no liability for data selection that is not confirmed in writing. Pressure data refer, if not otherwise indicated, to liquids of Group II at +20°C.