



Steel & stainless steel cutting ring fittings ISO 8434-1

Adjustable ball screw-in connections (metric) with sealing cone + O-ring

Type zinc-plated steel	Type AISI 316Ti	Tube Ø external	Screw-in thread
Light model series			
EGE 6 LM	EGE 6 LM ES	6 L	M 10 x 1
EGE 8 LM	EGE 8 LM ES	8 L	M 12 x 1.5
EGE 10 LM	EGE 10 LM ES	10 L	M 14 x 1.5
EGE 12 LM	EGE 12 LM ES	12 L	M 16 x 1.5
EGE 15 LM	EGE 15 LM ES	15 L	M 18 x 1.5
EGE 18 LM	EGE 18 LM ES	18 L	M 22 x 1.5
EGE 22 LM	EGE 22 LM ES	22 L	M 26 x 1.5
EGE 28 LM	EGE 28 LM ES	28 L	M 33 x 2
EGE 35 LM	EGE 35 LM ES	35 L	M 42 x 2
EGE 42 LM	EGE 42 LM ES	42 L	M 48 x 2
Heavy model series			
EGE 6 SM	EGE 6 SM ES	6 S	M 12 x 1.5
EGE 8 SM	EGE 8 SM ES	8 S	M 14 x 1.5
EGE 10 SM	EGE 10 SM ES	10 S	M 16 x 1.5
EGE 12 SM	EGE 12 SM ES	12 S	M 18 x 1.5
EGE 14 SM	EGE 14 SM ES	14 S	M 20 x 1.5
EGE 16 SM	EGE 16 SM ES	16 S	M 22 x 1.5
EGE 20 SM	EGE 20 SM ES	20 S	M 27 x 2
EGE 25 SM	EGE 25 SM ES	25 S	M 33 x 2
EGE 30 SM	EGE 30 SM ES	30 S	M 42 x 2
EGE 38 SM	EGE 38 SM ES	38 S	M 48 x 2





Replacement O-rings made of FKM/NBR are found below.



Adjustable ball screw-in connections (imperial) with sealing cone + O-ring

Type zinc-plated steel	Type AISI 316Ti	Tube Ø external	Screw-in thread
Light model series			
EGE 6 LR	EGE 6 LR ES	6 L	G 1/8"
EGE 8 LR	EGE 8 LR ES	8 L	G 1/4"
---	EGE 8 LR 3/8 ES	8 L	G 3/8"
EGE 10 LR	EGE 10 LR ES	10 L	G 1/4"
EGE 10 LR 3/8	---	10 L	G 3/8"
EGE 12 LR	EGE 12 LR ES	12 L	G 3/8"
EGE 12 LR 1/2	---	12 L	G 1/2"
EGE 15 LR	EGE 15 LR ES	15 L	G 1/2"
EGE 15 LR 3/4	---	15 L	G 3/4"
EGE 18 LR	EGE 18 LR ES	18 L	G 1/2"
EGE 18 LR 3/4	---	18 L	G 3/4"
EGE 22 LR	EGE 22 LR ES	22 L	G 3/4"
EGE 28 LR	EGE 28 LR ES	28 L	G 1"
EGE 28 LR 3/4	---	28 L	G 3/4"
EGE 35 LR	EGE 35 LR ES	35 L	G 1 1/4"
EGE 42 LR	EGE 42 LR ES	42 L	G 1 1/2"
Heavy model series			
EGE 6 SR	EGE 6 SR ES	6 S	G 1/4"
EGE 8 SR	EGE 8 SR ES	8 S	G 1/4"
EGE 10 SR	EGE 10 SR ES	10 S	G 3/8"
EGE 12 SR	EGE 12 SR ES	12 S	G 3/8"
EGE 12 SR 1/2	---	12 S	G 1/2"
EGE 14 SR	EGE 14 SR ES	14 S	G 1/2"
EGE 16 SR	EGE 16 SR ES	16 S	G 1/2"
EGE 20 SR	EGE 20 SR ES	20 S	G 3/4"
EGE 25 SR	EGE 25 SR ES	25 S	G 1"
EGE 30 SR	EGE 30 SR ES	30 S	G 1 1/4"
EGE 38 SR	EGE 38 SR ES	38 S	G 1 1/2"



Replacement O-rings made of FKM/NBR are found below.



O-rings for sealing cone screw connections and welding nipple

Temperature range: NBR: -20°C to max. +80°C, FKM: -20°C to max. +200°C

Type NBR	Type FKM	For pipe screw connection	Type NBR	Type FKM	For pipe screw connection
ORING 6 P	ORING 6 V	6 L / 6 S	ORING 20 P	ORING 20 V	20 S
ORING 8 P	ORING 8 V	8 L / 8 S	ORING 22 P	ORING 22 V	22 L
ORING 10 P	ORING 10 V	10 L / 10 S	ORING 25 P	ORING 25 V	25 S
ORING 12 P	ORING 12 V	12 L / 12 S	ORING 28 P	ORING 28 V	28 L
ORING 14 P	ORING 14 V	14 S	ORING 30 P	ORING 30 V	30 S
ORING 15 P	ORING 15 V	15 L	ORING 35 P	ORING 35 V	35 L
ORING 16 P	ORING 16 V	16 S	ORING 38 P	ORING 38 V	38 S
ORING 18 P	ORING 18 V	18 L	ORING 42 P	ORING 42 V	42 L

All data are considered to be unbinding reference values. We accept no liability for data selection that is not confirmed in writing. Pressure data refer, if not otherwise indicated, to liquids of Group II at +20°C.

